




XDS

Catalogue 2025

Road

Bikes





SPX

RS7 / Road / Performance
WHITE



RS7 / Road / Performance

XDS

FRAME:

XDS carbon fiber frame with full internal cable routing, 700C, 142x12mm thru-axle

FORK:

XDS carbon fiber fork with internal cable routing, 100x12mm thru-axle

REAR DERAILLEUR:

Shimano 105 R7100

FRONT DERAILLEUR:

Shimano 105 R7100

SHIFTERS:

Shimano 105 R7120, 2x12 speed

LEVERS AND CALIPERS:

Shimano 105 R7120 levers, Shimano BR-R7170 hydraulic disc brakes

CASSETTE:

12-speed cassette, 11-34T

CRANKSET:

Branta aluminum crankset with power meter, 50x34T

BOTTOM BRACKET:

BSA 68mm threaded bearing bottom bracket

ROTOR:

Center Lock, Ø160 mm

CHAIN:

12-speed chain

WHEELS:

Branta Base carbon fiber wheelset with four sealed bearings, thru-axle, disc brake

TIRES:

Maxxis 700x25C / 25-622, 60 TPI

STEM: -

HANDLEBAR:

Branta one-piece carbon fiber handlebar with internal cable routing

SADDLE:

FIZIK AIDON with manganese rails

SEATPOST:

BRANTA carbon fiber seatpost



AD7 105D12 / Road / Performance

MATTE BLACK



AD7 105D12 / Road / Performance

XDS

FRAME:

XDS carbon fiber frame with full internal cable routing, 700C, 142x12mm thru-axle

FORK:

XDS carbon fiber fork with internal cable routing, 100x12mm thru-axle

REAR DERAILLEUR:

Shimano 105 R7150 Di2 (electronic shifting)

FRONT DERAILLEUR:

Shimano 105 R7150 Di2 (electronic shifting)

SHIFTERS:

Shimano 105 R7170 Di2, 2x12 electronic shifting

LEVERS AND CALIPERS:

Shimano 105 R7170 levers, Shimano BR-R7170 hydraulic disc brakes

CASSETTE:

Shimano 105 R7101, 11-34T

CRANKSET:

Shimano 105 R7100, 50x34T

BOTTOM BRACKET:

BSA 68mm threaded bearing bottom bracket

ROTOR:

Center Lock, Ø160 mm

CHAIN:

Shimano CNM7100, 12-speed chain

WHEELS:

Branta Base carbon fiber wheelset with four sealed bearings, thru-axle, disc brake

TIRES:

Branta R301, 700x30C / 30-622, 60 TPI

STEM: -

HANDLEBAR:

Branta one-piece carbon fiber handlebar with internal cable routing

SADDLE:

Branta R302

SEATPOST:

Branta carbon fiber seatpost



Off-Road

Bikes





SPX

Tarpan / Off-Road / Trail

DEEP FOREST



Tarpan / Off-Road / Trail

XDS

FRAME:

XDS aluminum alloy 27.5" four-bar linkage frame UDH Boost148x12mm thru axle

FORK:

Branta 27.5 suspension fork, spring type, preload adjustable, rebound adjustable, travel 150mm, 15mm thru axle

REAR DERAILLEUR:

LTWOO TX

FRONT DERAILLEUR:

SHIFT: LTWOO TX 12-speed

LEVERS AND CALIPERS:

Branta R3 hydraulic disc brake

CASSETTE:

12-speed cassette 11-50T

CRANK SET:

Branta aluminum alloy crankset 34T

BOTTOM BRACKET:

BSA 73mm threaded bottom bracket

ROTOR:

6-bolt ϕ 180

CHAIN:

12-speed chain

WHEELS:

Branta aluminum alloy 4-bearing hub disc wheelset

TIRES:

CST 27.5 x 2.4

STEM:

BRANTA aluminum alloy 20° 38mm

HANDLEBAR:

BRANTA aluminum alloy 780mm / 760mm

SADDLE:

Branta R200

SEATPOST:

XDS aluminum alloy ϕ 31.6*300mm



Mustang / Off-Road / Trail Kids

WHITE



Mustang / Off-Road / Trail Kids

XDS

FRAME:

XDS aluminum alloy 26" four-bar linkage frame
UDH Boost148x12mm thru axle

FORK:

XDS 27.5 suspension fork, spring type, preload adjustable,
rebound adjustable, travel 120mm, 15mm thru axle

REAR DERAILLEUR:

LTWOO A7

FRONT DERAILLEUR: -

SHIFT:

LTWOO A7 10-speed

LEVERS AND CALIPERS:

Branta R3 hydraulic disc brake

CASSETTE:

10-speed cassette 11-46T

CRANK SET:

Branta aluminum alloy crankset 34T

BOTTOM BRACKET:

BSA 73mm threaded bottom bracket

ROTOR:

6-bolt ϕ 160

CHAIN:

10-speed chain

WHEELS:

Branta aluminum alloy 4-bearing hub disc wheelset

TIRES:

CST 26 x 2.25

STEM:

BRANTA aluminum alloy 20° 38mm

HANDLEBAR:

BRANTA aluminum alloy 700mm

SADDLE:

Branta R200

SEATPOST:

Branta aluminum alloy ϕ 30.9*200mm



Hacker 380 / Off-Road / Sport

GREY/BLACK



Hacker 380 / Off-Road / Sport

XDS

FRAME:

XDS Alloy, 26" x 15.5" / 17"

FORK:

26" suspension fork

REAR DERAILLEUR:

Shimano TZ500 7Speed

FRONT DERAILLEUR:

L-TWO Mechanical

SHIFT:

Shimano TZ500

BRAKE:

Mechanical Disc Brake

CASSETTE:

7-speed

CRANK SET:

MTB Crankset

CHAIN:

7Speed, 108L

WHEELS:

Alloy 26"

TIRES:

26" x 1.95

STEM:


XDS M100 Alloy stem 90mm

HANDLEBAR:

XDS M100 640mm

SADDLE:

Branta



Hacker 380 / Off-Road / Sport
WHITE/BLACK



Hacker 380 / Off-Road / Sport
BLACK/GREEN



Hacker 500 / Off-Road / Sport

GREY/WHITE



Hacker 500 / Off-Road / Sport

XDS

FRAME:

XDS Alloy, 27.5" x 15.5" / 17"

FORK:

27.5" suspension fork

REAR DERAILLEUR:

Shimano TX 8Speed

FRONT DERAILLEUR:

L-TWOO 3Speed

SHIFT:

L-TWOO A3

BRAKE:

Hydraulic disc brake

CASSETTE:

8-speed

CRANK SET:

MTB Crankset

CHAIN:

8Speed, 108

WHEELS:

Alloy 27.5"

TIRES:

27.5" x 1.95"

STEM:

XDS M100 Alloy stem 80mm

HANDLEBAR:

XDS M100 640mm

SADDLE:

Branta



Hacker 500 / Off-Road / Sport
GREEN/WHITE



Hacker 500 / Off-Road / Sport

XDS

FRAME:

XDS Alloy, 27.5" x 15.5" / 17"

FORK:

27.5" suspension fork

REAR DERAILLEUR:

Shimano TX 8Speed

FRONT DERAILLEUR:

L-TWOO 3Speed

SHIFT:

L-TWOO A3

BRAKE:

Hydraulic disc brake

CASSETTE:

8-speed

CRANK SET:

MTB Crankset

CHAIN:

8Speed, 108

WHEELS:

Alloy 27.5"

TIRES:

27.5" x 1.95"

STEM:

XDS M100 Alloy stem 80mm

HANDLEBAR:

XDS M100 640mm

SADDLE:

Branta



An aerial photograph of a dense forest of evergreen trees, likely spruce or fir, with varying shades of green and some lighter, yellowish-green patches. The trees are packed closely together, creating a textured canopy. The lighting suggests a bright day, with some areas appearing more brightly lit than others.

Active

Bikes



SPX

Highspeed 380 / Active

WHITE



Highspeed 380 / Active

XDS

FRAME:

XDS Alloy, 27.5" x 15.5" / 17"

FORK:

27.5" suspension fork

REAR DERAILLEUR:

Shimano TX 8Speed

FRONT DERAILLEUR:

L-TWOO 3Speed

SHIFT:

L-TWOO A3

BRAKE:

Hydraulic disc brake

CASSETTE:

8-speed

CRANK SET:

MTB Crankset

CHAIN:

8Speed, 108

WHEELS:

Alloy 27.5"

TIRES:

27.5" x 1.95"

STEM:

XDS M100 Alloy stem 80mm

HANDLEBAR:

XDS M100 640mm

SADDLE:

Branta



eBikes





SPX

Espresso S2

BLACK



Espresso S2

XDS

FRAME SIZE:	15" and 17"
FRAME:	XDS 6061 Alloy with internal battery
FORK:	Suntour Nex HLO DS 700c with 63 mm travel
HANDLEBAR:	Alloy 620 wide with a 25mm rise
GRIP:	Rubber Comfort
STEM:	Alloy 80mm
SEATPOST:	Alloy 31.6 x 350mm
SEAT CLAMP:	Alloy with Quick Release
SADDLE:	XDS Comfort
GEAR SHIFTER:	Shimano Acera M360 Rapidfire Plus
REAR DERAILLEUR:	Shimano Acera RD-M360
FRONT BRAKE:	Tektro M285 Hydraulic with 160mm Rota
REAR BRAKE:	Tektro M285 Hydraulic with 160mm Rota
FREEWHEEL:	Shimano HG3181 11-34t
PEDAL:	Comfort style with ball bearings
CHAINWHEEL:	Bafang Max 38t
CHAIN:	Z72 1/2 x 3/32 x 112L
BOTTOM BRACKET:	Bafang
HEADSET:	Alloy/Steel
FRONT HUB:	KT Alloy MD7f with Quick Release
REAR HUB:	KT Alloy MD4r with Quick Release
SPOKES:	Stainless steel 13G
TYRE:	Kenda 700c x 38
RIM:	Alloy XV210 700c
BELL:	Alloy flick
CHAINGUARD:	N/A
KICKSTAND:	Steel stay mount



ELECTRICAL COMPONENTS

MOTOR:	36v/11Ah, 2200mAh cell
SPEED SENSOR:	SR SD02.01 Sensor, 1 Pulse, 5v, 500mm
DISPLAY:	Bafang DP C 07. Uart LCD display with thumb control
CHARGER:	CZ2AG7J24. SSLC084V42XH
SHIFT SENSOR:	KST 3203A1004 for Bafang Mid Drive

E-Street

FOREST




E-Street

XDS

FRAME SIZE:	17", 19" and 21"
FRAME:	XDS 6061 Alloy with internal battery
FORK:	X6/6061 Alloy
HANDLEBAR:	Alloy 680 wide
GRIP:	Rubber Comfort
STEM:	Alloy 45mm
SEATPOST:	Alloy 27.5 x 350mm
SEAT CLAMP:	Alloy with Quick Release
SADDLE:	XDS Comfort
GEAR SHIFTER:	Shimano M2010-9R, ALTUS, 9sp Rapidfire Plus
REAR DERAILLEUR:	Shimano RD-M4000-SGS, ALIVIO, 9sp Shadow Design
FRONT BRAKE:	Tektro M275 Hydraulic with 160mm Rotor
REAR BRAKE:	Tektro M275 Hydraulic with 160mm Rotor
FREEWHEEL:	Shimano HG201-9, 9speed, 11 - 36t
PEDAL:	Alloy
CHAINWHEEL:	EM33B-42DX-D32A/GA1 42th with alloy cranks
CHAIN:	e9 Sport 1/2 x 1 1/28 x 114l
BOTTOM BRACKET:	Bafang
HEADSET STEEL:	Alloy
FRONT HUB:	Alloy 32H with quick release
REAR HUB:	Alloy 32H with quick release
SPOKES:	Stainless steel 13G
TYRE:	CST 27.5 x 1.95
RIM:	XDS W127 Alloy 32H
BELL:	Alloy flick
CHAINGUARD:	N/A
KICKSTAND:	N/A

ELECTRICAL COMPONENTS

MOTOR:	Bafang MM G333 36V/250W, CAN 25km/h
BATTERY:	Bafang BT F291.B378 36V/14.2Ah
TORQUE SENSOR:	SR SD02.01, 1 Pulse, 5v
SHIFT SENSOR:	KST3203A1004, for Bafang maxdrive
DISPLAY:	Bafang DP C 10.Uart, LCD display, DC 36v, 0-5
CHARGER:	Spard 36V Input:100-240V 1.8A



E-Street

PURPLE/BLACK



E-Street

SPX

FRAME SIZE:	15" and 17"
FRAME:	XDS 6061 Alloy with internal battery
FORK:	X6/6061 Alloy
HANDLEBAR:	Alloy 680 wide
GRIP:	Rubber Comfort
STEM:	Alloy 45mm
SEATPOST:	Alloy 27.5 x 350mm
SEAT CLAMP:	Alloy with Quick Release
SADDLE:	XDS Comfort
GEAR SHIFTER:	Shimano M2010-9R, ALTUS, 9sp Rapidfire Plus
REAR DERAILLEUR:	Shimano M2010-9R, ALTUS, 9sp Rapidfire Plus
FRONT BRAKE:	Tektro M275 Hydraulic with 160mm Rotor
REAR BRAKE:	Tektro M275 Hydraulic with 160mm Rotor
FREEWHEEL:	Shimano HG201-9, 9speed, 11 - 36t
PEDAL:	Alloy
CHAINWHEEL:	EM33B-42DX-D32A/GA1 42th with alloy cranks
CHAIN:	e9 Sport 1/2 x 1 1/28 x 114l
BOTTOM BRACKET:	Bafang
HEADSET STEEL:	Alloy
FRONT HUB:	Alloy 32H with quick release
REAR HUB:	Alloy 32H with quick release
SPOKES:	Stainless steel 13G
TYRE:	CST 27.5 x 1.95
RIM:	XDS W127 Alloy 32H
BELL:	Alloy flick
CHAINGUARD:	N/A
KICKSTAND:	N/A

ELECTRICAL COMPONENTS

MOTOR:	Bafang MM G333 36V/250W, CAN 25km/h
BATTERY:	Bafang BT F291.B378 36V/14.2Ah
TORQUE SENSOR:	SR SD02.01, 1 Pulse, 5v
SHIFT SENSOR:	KST3203A1004, for Bafang maxdrive
DISPLAY:	Bafang DP C 10.Uart, LCD display, DC 36v, 0-5
CHARGER:	Spard 36V Input:100-240V 1.8A



Advance 300 24"

GREY



Advance 300 24"

XDS

FRAME:	XDS X6 6061 Alloy 12"
FORK:	24" Lockout 100mm Travel, Coil w/preload adjuster
HANDLEBAR:	Alloy, W: 680mm H: 35mm
GRIP:	Rubber MTB 130L
STEM:	Alloy H:4mm E:45mm
SEATPOST:	Alloy 30.9 x 350mm
SEAT CLAMP:	Alloy Quick Release
SADDLE:	Velo ED MTB Black
GEAR SHIFTER:	Shimano SL-U4000-9R, Cues 9sp Rapidfire Plus
REAR GEAR:	Shimano RD-U4000, Cues 9sp Shadow Design
FRONT BRAKE:	Hydraulic Disc Brakes with 160mm rotor
REAR BRAKE:	Hydraulic Disc Brakes with 160mm rotor
FREEWHEEL:	Shimano CS-LG400-9, Cues 9sp, 11-13-15-17-20-23-26-30-36T
PEDAL:	MTB
CHAINWHEEL:	40T 170mm
CHAIN:	120L
BOTTOM BRACKET:	Motor
HEADSET ALLOY:	Integrated
FRONT HUB:	13Gx36H M9x100x108mm
REAR HUB:	13Gx36H M10x141 alloy QR, 158mm
SPOKES:	13G Stainless Steel
TYRE:	24" x 2.1
RIM:	24" 13Gx36H
BELL:	Alloy flick
KICKSTAND:	L:255mm non adjustable

ELECTRICAL COMPONENTS

SENSOR:	Speed sensor
MOTOR:	XDS 36V Speed limited 25KM/H
BATTERY:	36V12.8AH Panasonic/LG 3200AH cells
DISPLAY:	XDS 36V
CHARGER:	42V/3A, 220-240V AS standard
CONTROLLER:	Integrated



Advance 300 26"

SANDSTONE



Advance 300 26"

XDS

FRAME:	XDS X6 6061 Alloy 15"
FORK:	26" Lockout 100mm Travel, Coil w/preload adjuster
HANDLEBAR:	Alloy, W: 680mm H: 35mm
GRIP:	Rubber MTB 130L
STEM:	Alloy H: 4mm E: 45mm
SEATPOST:	Alloy 30.9 x 350mm
SEAT CLAMP:	Alloy Quick Release
SADDLE:	Velo ED MTB Black
GEAR SHIFTER:	Shimano SL-U4000-9R, Cues 9sp Rapidfire Plus
REAR GEAR:	Shimano RD-U4000, Cues 9sp Shadow Design
FRONT BRAKE:	Hydraulic Disc Brakes with 160mm rotor
REAR BRAKE:	Hydraulic Disc Brakes with 160mm rotor
FREEWHEEL:	Shimano CS-LG400-9, Cues 9sp, 11-13-15-17-20-23-26-30-36T
PEDAL:	MTB
CHAINWHEEL:	40T 170mm
CHAIN:	120L
BOTTOM BRACKET:	Motor
HEADSET ALLOY:	Integrated
FRONT HUB:	13Gx36H M9x100x108mm
REAR HUB:	13Gx36H M10x141 alloy QR, 158mm
SPOKES:	13G Stainless Steel
TYRE:	26" x 2.1
RIM:	26" 13Gx36H
BELL:	Alloy flick
KICKSTAND:	L:255mm non adjustable

ELECTRICAL COMPONENTS

SENSOR:	Speed sensor
MOTOR:	XDS 36V Speed limited 25KM/H
BATTERY:	36V12.8AH Panasonic/LG 3200AH cells
DISPLAY:	XDS 36V
CHARGER:	42V/3A, 220-240V AS standard
CONTROLLER:	Integrated



Advance 300

BLACK



Advance 300

XDS

FRAME:	XDS X6 6061 Alloy 29"
FORK:	27.5" Lockout 100mm Travel, Coil w/preload adjuster
HANDLEBAR:	Alloy, W: 680mm H: 35mm
GRIP:	Rubber MTB 130L
STEM:	Alloy H:41mm E:75mm
SEATPOST:	Alloy 30.9 x 350mm
SEAT CLAMP:	Alloy Quick Release
SADDLE:	Velo ED MTB Black
GEAR SHIFTER:	Shimano SL-U4000-9R, Cues 9sp Rapidfire Plus
REAR GEAR:	Shimano RD-U4000, Cues 9sp Shadow Design
FRONT BRAKE:	Hydraulic Disc Brakes with 160mm rotor
REAR BRAKE:	Hydraulic Disc Brakes with 160mm rotor
FREEWHEEL:	Shimano CS-LG400-9, Cues 9sp, 11-13-15-17-20-23-26-30-36T
PEDAL:	MTB
CHAINWHEEL:	40T 170mm
CHAIN:	120L
BOTTOM BRACKET:	Motor
HEADSET:	Alloy Integrated
FRONT HUB:	13Gx36H M9x100x108mm
REAR HUB:	13Gx36H M10x141 alloy QR, 158mm
SPOKES:	13G Stainless Steel
TYRE:	29" x 2.2
RIM:	29" 13Gx36H
BELL:	Alloy flick
KICKSTAND:	L:275mm non adjustable

ELECTRICAL COMPONENTS

SENSOR:	Speed sensor
MOTOR:	XDS 100SX 36V Speed limited 25KM/H
BATTERY:	36V12.8AH Panasonic/LG 3200AH cells
DISPLAY:	XDS 36V
CHARGER:	42V/3A, 220-240V AS standard
CONTROLLER:	Integrated



Advance 600

MATTE GREY



Advance 600

XDS

FRAME:	XDS X6 6061 Alloy 29"
FORK:	29" Lockout 100mm Travel, Coil w/preload adjuster
HANDLEBAR:	Alloy, W: 680mm H: 35mm
GRIP:	Rubber MTB 130L
STEM:	Alloy H:41mm E:75mm
SEATPOST:	Alloy 30.9 x 350mm
SEAT CLAMP:	Alloy Quick Release
SADDLE:	Velo ED MTB Black
GEAR SHIFTER:	Shimano SL-U6000-10R, Cues 10sp Rapid-fire Plus
REAR GEAR:	Shimano RD-U6000, Cues, GS 10/11sp, Shadow Plus
FRONT BRAKE:	Hydraulic Disc Brakes with 160mm rotor
REAR BRAKE:	Hydraulic Disc Brakes with 160mm rotor
FREEWHEEL:	Shimano CS-LG400-10, CUES D, 11-13-15-17-20-23-26-30-34-39T
PEDAL:	MTB
CHAINWHEEL:	40T 170mm
CHAIN:	120L
BOTTOM BRACKET:	Motor
HEADSET:	Alloy Integrated
FRONT HUB:	13Gx36H M9x100x108mm
REAR HUB:	13Gx36H M10x141 alloy QR, 158mm
SPOKES:	13G Stainless Steel
TYRE:	29" x 2.2
RIM:	29" 13Gx36H
BELL:	Alloy flick
RACK:	29" Advance 600 welded rack
KICKSTAND:	L:275mm non adjustable



ELECTRICAL COMPONENTS

SENSOR:	Speed sensor
MOTOR:	XDS X300 36V Speed limited 25KM/H
BATTERY:	36V12.8AH Panasonic/LG 3200AH cells
DISPLAY:	XDS 36V
CHARGER:	42V/3A, 220-240V AS standard
CONTROLLER:	Integrated

Advance 600 Step-Thru

BLACK/GREEN



Advance 600 Step-Thru

XDS

- FRAME:** XDS X6 6061 Alloy 29"
FORK: 29" Lockout 100mm Travel, Coil w/preload adjuster
HANDLEBAR: Alloy, W: 680mm H: 35mm
GRIP: Rubber MTB 130L
STEM: Alloy H:41mm E:75mm
SEATPOST: Alloy 30.9 x 350mm
SEAT CLAMP: Alloy Quick Release
SADDLE: Velo ED MTB Black
GEAR SHIFTER: Shimano SL-U6000-10R, Cues 10sp Rapid-fire Plus
REAR GEAR: Shimano RD-U6000, Cues, GS 10/11sp, Shadow Plus
FRONT BRAKE: Hydraulic Disc Brakes with 160mm rotor
REAR BRAKE: Hydraulic Disc Brakes with 160mm rotor
FREEWHEEL: Shimano CS-LG400-10, CUES D, 11-13-15-17-20-23-26-30-34-39T
PEDAL: MTB
CHAINWHEEL: 40T 170mm
CHAIN: 120L
BOTTOM BRACKET: Motor
HEADSET: Alloy Integrated
FRONT HUB: 13Gx36H M9x100x108mm
REAR HUB: 13Gx36H M10x141 alloy QR, 158mm
SPOKES: 13G Stainless Steel
TYRE: 29" x 2.2
RIM: 29" 13Gx36H
BELL: Alloy flick
RACK: 29" Advance 600 welded rack
KICKSTAND: L:275mm non adjustable

ELECTRICAL COMPONENTS

- SENSOR:** Speed sensor
MOTOR: XDS X300 36V Speed limited 25KM/H
BATTERY: 36V12.8AH Panasonic/LG 3200AH cells
DISPLAY: XDS 36V
CHARGER: 42V/3A, 220-240V AS standard
CONTROLLER: Integrated



Advance 600 Step-Thru

FOREST GREEN



Advance 600 Step-Thru

XDS

FRAME:	XDS X6 6061 Alloy 29"
FORK:	29" Lockout 100mm Travel, Coil w/preload adjuster
HANDLEBAR:	Alloy, W: 680mm H: 35mm
GRIP:	Rubber MTB 130L
STEM:	Alloy H:41mm E:75mm
SEATPOST:	Alloy 30.9 x 350mm
SEAT CLAMP:	Alloy Quick Release
SADDLE:	Velo ED MTB Black
GEAR SHIFTER:	Shimano SL-U6000-10R, Cues 10sp Rapid-fire Plus
REAR GEAR:	Shimano RD-U6000, Cues, GS 10/11sp, Shadow Plus
FRONT BRAKE:	Hydraulic Disc Brakes with 160mm rotor
REAR BRAKE:	Hydraulic Disc Brakes with 160mm rotor
FREEWHEEL:	Shimano CS-LG400-10, CUES D, 11-13-15-17-20-23-26-30-34-39T
PEDAL:	MTB
CHAINWHEEL:	40T 170mm
CHAIN:	120L
BOTTOM BRACKET:	Motor
HEADSET:	Alloy Integrated
FRONT HUB:	13Gx36H M9x100x108mm
REAR HUB:	13Gx36H M10x141 alloy QR, 158mm
SPOKES:	13G Stainless Steel
TYRE:	29" x 2.2
RIM:	29" 13Gx36H
BELL:	Alloy flick
RACK:	29" Advance 600 welded rack
KICKSTAND:	L:275mm non adjustable



ELECTRICAL COMPONENTS

SENSOR:	Speed sensor
MOTOR:	XDS X300 36V Speed limited 25KM/H
BATTERY:	36V12.8AH Panasonic/LG 3200AH cells
DISPLAY:	XDS 36V
CHARGER:	42V/3A, 220-240V AS standard
CONTROLLER:	Integrated



E-Conic S2 Bafang

MINT



E-Conic S2 Bafang

XDS

FRAME SIZE:	15" and 17"
FRAME:	XDS 6061 Alloy with internal battery
FORK:	Steel
HANDLEBAR:	Alloy 610 wide
GRIP:	Foam Comfort
STEM:	Alloy 80mm
SEATPOST:	Alloy 27.2 x 300mm
SEAT CLAMP:	Alloy with Quick Release
SADDLE:	XDS Comfort
GEAR SHIFTER:	Shimano SL-M315-8R 8-Speed Rapidfire Plus
REAR DERAILLEUR:	Shimano Altus M310 8sp
FRONT BRAKE:	Tektro M280 Cable Disc with 160mm Rotor
REAR BRAKE:	Tektro M280 Cable Disc with 160mm Rotor
FREEWHEEL:	Shimano HG200 12-32T 8sp
PEDAL:	Comfort style with ball bearings
CHAINWHEEL:	HDL-L132 42T 170mm Crank
CHAIN:	Z72 1/2 x 3/32 x 112L
BOTTOM BRACKET:	VP-BC73
HEADSET:	Alloy/Steel
FRONT HUB:	KT Alloy
REAR HUB:	KT Alloy
SPOKES:	Stainless steel 13G
TYRE:	Kenda 700c x 35
RIM:	Alloy XD211 700c
BELL:	Alloy flick
CHAINGUARD:	Steel F-Shape
KICKSTAND:	Steel stay mount
BASKET:	Steel and Cane
FENDER:	Steel Front and Rear

ELECTRICAL COMPONENTS

MOTOR:	Bafang RM G020.250.DC
BATTERY:	BAFANG 36V10AH 360WH CAN protocol
SPEED SENSOR:	Cable Length: 250mm
DISPLAY:	Bafang DP C080 TFT, 36V, CAN protocol, W/ bluetooth
CHARGER:	42V2A, DC2.1 charger port, 100-240V, AS standard, UL certificate
CONTROLLER:	Bafang XT30 36V250WCAN protocol



E-Conic S2 Bafang

ROSE GOLD



E-Conic S2 Bafang

LAVENDER

XDS



SPX





XDS

CONTACTS:

www.xdsbicycles.com.au
email: wholesale@gflgroup.com.au

