

# | XLITE SERIES 2020



\*Image is for illustration purposes only.  
Colours may vary.





ALLOY 6061



COMFORT SADDLE



MULTI SURFACE TREAD (16"×1.95")



Boys

# XLITE 16 Alloy

## SPECIFICATIONS

<b>COLOURS</b>	Lime Green, Stainless	<b>REAR BRAKES</b>	KT Coaster
<b>FRAME</b>	Alloy 6061 16"×185mm HT:φ41×φ34×100mm RC:322.5mm	<b>SPOKES</b>	Stainless Steel 14G
<b>FORK</b>	Alloy 16" φ28.6×25.4×30×178mm A -head	<b>CHAINWHEEL &amp; CRANKS</b>	1 pce Steel 114 mm alloy (1/2"×1/8"×32T)
<b>HANDLEBAR</b>	Alloy (W:500mm, H:50mm 9°)	<b>CHAIN</b>	KMC (1/2"×1/8"×76L)
<b>GRIP</b>	Rubber with Flange (L=97mm)	<b>CHAINGUARD</b>	Steel F Shape
<b>STEM</b>	Alloy A-Head φ28.6mm H:40mm E:30mm 0°	<b>BOTTOM BRACKET</b>	Steel OPC
<b>SEAT POST</b>	Alloy 25.4×200mm	<b>HEADSET</b>	28.6×34×30mm H=32.1mm
<b>SEAT CLAMP</b>	Alloy Quick Release (φ28.6mm)	<b>FRONT HUB</b>	KT (14G×28H 3/8"×100×145mm)
<b>SADDLE</b>	Cionlli Comfort Saddle with Integrated Seat Post	<b>REAR HUB</b>	KT Coaster (14G×28H 3/8"×112×175mm W/18T freewheel)
<b>PEDALS</b>	PP Pedal 1/2"	<b>BELL</b>	Steel
<b>FRONT BRAKES</b>	Power Alloy V Brake	<b>TRAINING WHEELS</b>	PVC/steel φ120*28mm
		<b>TYRE</b>	Multi Surface Tread (16"×1.95")
		<b>RIM</b>	Alloy (16"×14G×28H CNC H=16.3 W=24.8)



ALLOY 6061



COMFORT SADDLE



MULTI SURFACE TREAD (16"x1.95")



Girls

## XLITE 16 Alloy

### SPECIFICATIONS

COLOURS	Blush Pink, Sea Blue	REAR BRAKES	KT Coaster
FRAME	Alloy 6061 16"x185mm HT:φ41×φ34×100mm	SPOKES	Stainless Steel 14G
FORK	RC:322.5mm Alloy 16" φ28.6×25.4×30×178mm A -head	CHAINWHEEL & CRANKS	1 pce Steel 114 mm alloy
HANDLEBAR	Alloy (W:500mm, H:50mm 9°)	CHAIN	KMC (1/2"×1/8"×76L)
GRIP	Rubber with Flange (L=97mm)	CHAINGUARD	Steel F Shape
STEM	Alloy A-Head φ28.6mm H:40mm E:30mm 0°	BOTTOM BRACKET	Steel OPC
SEAT POST	Alloy 25.4×200mm	HEADSET	28.6×34×30mm H=32.1mm
SEAT CLAMP	Alloy Quick Release (φ28.6mm)	FRONT HUB	KT (14G×28H 3/8"×100×145mm)
SADDLE	Cionlli Comfort Saddle with Integrated Seat Post	REAR HUB	KT Coaster (14G×28H 3/8"×112×175mm W/18T freewheel)
PEDALS	PP Pedal 1/2"	BELL	Steel
FRONT BRAKES	Power Alloy V Brake	TRAINING WHEELS	PVC/steel φ120*28mm
		TYRE	Multi Surface Tread (16"×1.95")
		RIM	Alloy (16"×14G×28H CNC H=16.3 W=24.8)



ALLOY 6061



COMFORT SADDLE



MULTI SURFACE TREAD (16"×1.95")



Boys

Girls

## XLITE 16 Alloy

### SPECIFICATIONS

<b>COLOURS</b>	Boys: Neon Orange Girls: Pink	<b>SPOKES</b>	Stainless Steel 14G
<b>FRAME</b>	Alloy 6061	<b>CHAINWHEEL &amp; CRANKS</b>	Steel (1/2"×1/8"×32T)
<b>FORK</b>	Alloy 16"	<b>CHAIN</b>	KMC (1/2"×1/8"×76L)
<b>HANDLEBAR</b>	Alloy (W:500mm, H:50mm 9°)	<b>CHAINGUARD</b>	Steel F Shape for 36T
<b>GRIP</b>	PVC with Flange (L=97mm)	<b>BOTTOM BRACKET</b>	Steel OPC
<b>STEM</b>	HL Die Cast Alloy (φ22.2×110mm, E:32mm)	<b>HEADSET</b>	Steel (φ22.2×φ30×φ27mm H=35 8PCS)
<b>SEAT POST</b>	Integrated with Saddle	<b>FRONT HUB</b>	KT (14G×28H 3/8"×100×145mm)
<b>SEAT CLAMP</b>	Alloy Quick Release (φ28.6mm)	<b>REAR HUB</b>	KT Coaster (14G×28H 3/8"×112×175mm W/18T freewheel)
<b>SADDLE</b>	Cionlli Comfort Saddle with Integrated Seat Post	<b>BELL</b>	Steel
<b>PEDALS</b>	PP Pedal 1/2"	<b>TYRE</b>	Multi Surface Tread (16"×1.95")
<b>FRONT BRAKES</b>	Power Alloy V Brake	<b>RIM</b>	Alloy (16"×14G×28H CNC H=16.3 W=24.8)
<b>REAR BRAKES</b>	KT Coaster	<b>TRAINING WHEELS</b>	PVC/steel

\*Image is for illustration purposes only. Colours may vary.





ALLOY 6061



COMFORT SADDLE



MULTI SURFACE TREAD (20"×1.95")



Boys

Girls

## XLITE 20 Alloy

### SPECIFICATIONS

COLOURS	Boys: Lime Green Girls: Sea Blue	FRONT BRAKES	Power Alloy V Brake
FRAME	Alloy 6061 20"×240mm	REAR BRAKES	KT Coaster (14G×36H 3/8"×112×155mm W/18T freewheel)
FORK	HT:φ41×φ34×100mm RC:373mm Alloy 6061 (20")	SPOKES	Stainless Steel 14G
HANDLEBAR	Promax Alloy (W:520mm, H:50mm 9°)	CHAINWHEEL & CRANKS	1 pce Steel 140 mm Steel (1/2"×1/8"×36T)
GRIP	PVC with Flange (L=97mm)	CHAIN	KMC (1/2"×1/8"×86L)
STEM	Alloy A Headφ28.6mm E:60mm H:41mm 15°	CHAINGUARD	Steel F Shape for 36T
SEAT POST	Integrated with Saddle (25.4×250mm)	BOTTOM BRACKET	Steel OPC
SEAT CLAMP	Alloy Quick Release (φ28.6mm)	HEADSET	28.6×34×30mm H=32.1mm
SADDLE	Cionlli Comfort Saddle with Integrated Seat Post	FRONT HUB	KT (14G×36H×3/8"×100×145mm)
PEDALS	PP Pedal 1/2"	REAR HUB	KT Coaster (14G×36H 3/8"×112×155mm W/18T freewheel)
		BELL	Steel
		TYRE	Multi Surface Tread (20"×1.95")
		RIM	XDS Alloy (20"×14G×36H CNC H=16.3 W=24.8)
		KICKSTAND	Steel (H=215mm L=235mm 100)



ALLOY 6061

COMFORT  
SADDLEMULTI SURFACE  
TREAD (20"×1.95")

Boys

## XLITE 20 Alloy

### SPECIFICATIONS

COLOURS	Black & Neon Green, Stainless & Black	SPOKES	Stainless Steel 14G
FRAME	Alloy 6061	CHAINWHEEL & CRANKS	Steel (1/2"×1/8"×36T)
FORK	Alloy 6061 (20")	CHAIN	KMC (1/2"×1/8"×86L)
HANDLEBAR	Promax Alloy (W:520mm, H:50mm 9°)	CHAINGUARD	Steel F Shape for 36T
GRIP	PVC with Flange (L=97mm)	BOTTOM BRACKET	Steel OPC
STEM	HL Die Cast Alloy (φ22.2×110mm, E:32mm)	HEADSET	Steel (φ22.2×φ30×φ27mm H=35 8PCS)
SEAT POST	Integrated with Saddle (25.4×250mm)	FRONT HUB	KT (14G×36H×3/8"×100×145mm)
SEAT CLAMP	Alloy Quick Release (φ28.6mm)	REAR HUB	KT Coaster (14G×36H 3/8"×112×155mm W/18T freewheel)
SADDLE	Cionlli Comfort Saddle with Integrated Seat Post	BELL	Steel
PEDALS	PP Pedal 1/2"	TYRE	Multi Surface Tread (20"×1.95")
FRONT BRAKES	Power Alloy V Brake	RIM	XDS Alloy (20"×14G×36H CNC H=16.3 W=24.8)
REAR BRAKES	KT Coaster (14G×36H 3/8"×112×155mm W/18T freewheel)	KICKSTAND	Steel (H=215mm L=235mm 100)





ALLOY 6061



COMFORT SADDLE



MULTI SURFACE TREAD (20"×1.95")



Girls

## XLITE 20 Alloy

### SPECIFICATIONS

COLOURS	Silver & Pearl Purple	SPOKES	Stainless Steel 14G
FRAME	Alloy 6061	CHAINWHEEL & CRANKS	Steel (1/2"×1/8"×36T)
FORK	Alloy 6061 (20")	CHAIN	KMC (1/2"×1/8"×86L)
HANDLEBAR	Promax Alloy (W:520mm, H:50mm 9°)	CHAINGUARD	Steel F Shape for 36T
GRIP	PVC with Flange (L=97mm)	BOTTOM BRACKET	Steel OPC
STEM	HL Die Cast Alloy (φ22.2×110mm, E:32mm)	HEADSET	Steel (φ22.2×φ30×φ27mm H=35 8PCS)
SEAT POST	Integrated with Saddle (25.4×250mm)	FRONT HUB	KT (14G×36H×3/8"×100×145mm)
SEAT CLAMP	Alloy Quick Release (φ28.6mm)	REAR HUB	KT Coaster (14G×36H 3/8"×112×155mm W/18T freewheel)
SADDLE	Cionlli Comfort Saddle with Integrated Seat Post	BELL	Steel
PEDALS	PP Pedal 1/2"	TYRE	Multi Surface Tread (20"×1.95")
FRONT BRAKES	Power Alloy V Brake	RIM	XDS Alloy (20"×14G×36H CNC H=16.3 W=24.8)
REAR BRAKES	KT Coaster (14G×36H 3/8"×112×155mm W/18T freewheel)	KICKSTAND	Steel (H=215mm L=235mm 100)

\*Image is for illustration purposes only.  
Colours may vary.





ALLOY 6061



COMFORT SADDLE



MULTI SURFACE TREAD (1.6"×1.95")



Boys

Girls

# XLITE 20 Alloy 3-Speed

## SPECIFICATIONS

<b>COLOURS</b>	Boys: Black & Orange Girls: White & Purple	<b>CHAINWHEEL &amp; CRANKS</b>	Steel Chainwheel, Alloy Cranks (1/2"×1/8"×40T×152mm)
<b>FRAME</b>	Alloy 6061	<b>CHAIN</b>	KMC (1/2"×1/8"×88L)
<b>FORK</b>	Alloy 6061 (20")	<b>CHAINGUARD</b>	Steel F Shape for 36T
<b>HANDLEBAR</b>	Promax Alloy (W:540mm, H:50mm 9°)	<b>BOTTOM BRACKET</b>	FP Steel BC1 (37"×24T 5PCS)
<b>GRIP</b>	PVC (L:110mm, R:72mm)	<b>HEADSET</b>	FP Steel (φ22.2×φ30×φ27mm H=35 8PCS)
<b>STEM</b>	HL Die Cast Alloy (φ22.2×110mm E:32mm)	<b>FRONT HUB</b>	KT Steel (14G×36H×3/8"×100×145mm)
<b>SEAT POST</b>	Integrated with Saddle (25.4×250mm)	<b>REAR HUB</b>	Shimano Nexus (SG-3R40 INTER-3 Rear Hub)
<b>SEAT CLAMP</b>	Alloy Quick Release (φ28.6mm)	<b>BELL</b>	Steel
<b>SADDLE</b>	Cionlli Comfort Saddle with Integrated Seat Post	<b>SPOKES</b>	Stainless Steel 14G
<b>PEDALS</b>	PP Pedal 1/2"	<b>TYRE</b>	Multi Surface Tread (20"×1.95")
<b>FRONT BRAKES</b>	Power Alloy V Brake	<b>RIM</b>	XDS Alloy (20"×14G×36H CNC H=16.3 W=24.8)
<b>REAR BRAKES</b>	Power Alloy V Brake	<b>KICKSTAND</b>	Steel (H=215mm L=235mm 100)
<b>SPOKES</b>	Stainless Steel 14G		



ALLOY 6061



7-SPEED  
REVOSHIFTERS



MULTI SURFACE  
TREAD (20"×1.95")



Boys

Girls

## XLITE 20 Alloy 7-Speed

### SPECIFICATIONS

<b>COLOURS</b>	Boys: Gloss Black Girls: Mint	<b>FRONT BRAKES</b>	Power Alloy V Brake
<b>FRAME</b>	Alloy 6061 20"×240mm HT:φ41×φ34×100mm RC:373mm	<b>REAR BRAKES</b>	Power Alloy V Brake
<b>FORK</b>	Zoom Masera CH410 E Front Suspension, Forged Alloy Crown A-head	<b>SPOKES</b>	Stainless Steel 14G
<b>HANDLEBAR</b>	XDS Alloy (W:560mm*2.2T, 15°H=50mm)	<b>CHAINWHEEL &amp; CRANKS</b>	Steel Chainwheel, Alloy Cranks (1/2"×3/32"×40T×152mm)
<b>GRIP</b>	PVC (L:110mm, R:72mm)	<b>CHAIN</b>	KMC (1/2"×3/32"×100L)
<b>STEM</b>	XDS Alloy (φ28.6mm E:60mm H:41mm 15°)	<b>GEAR SHIFTERS</b>	Shimano Tourney RS-36 7 Speed Revoshifters
<b>SEAT POST</b>	Integrated with Saddle (25.4×250mm)	<b>REAR DERAILLEUR</b>	Shimano Tourney RD-TZ50
<b>SEAT CLAMP</b>	Alloy Quick Release (φ28.6mm)	<b>BOTTOM BRACKET</b>	FP Steel BC1 (37"×24T 5PCS)
<b>SADDLE</b>	Cionlli Comfort Saddle with Integrated Seat Post	<b>HEADSET</b>	28.6×34×30mm H=32.1mm
<b>PEDALS</b>	PP Pedal 9/16"	<b>FRONT HUB</b>	KT (14G×36H×3/8"×100×140mm)
		<b>REAR HUB</b>	KT (14G×36H 3/8"×135×180mm, 7-SP)
		<b>BELL</b>	Steel
		<b>TYRE</b>	Multi Surface Tread (20"×1.95")
		<b>RIM</b>	XDS Alloy (20"×14G×36H CNC H=16.3 W=24.8)
		<b>KICKSTAND</b>	Steel (H=215mm L=235mm 100)



ALLOY 6061



7-SPEED  
REVOSHIFTERS



MULTI SURFACE  
TREAD (20"×1.95")



Boys

## XLITE 20 Alloy 7-Speed

### SPECIFICATIONS

COLOURS	Blue & Black, Stainless & Black	SPOKES	Stainless Steel 14G
FRAME	Alloy 6061	CHAINWHEEL & CRANKS	Steel Chainwheel, Alloy Cranks (1/2"×3/32"×40T×152mm)
FORK	Zoom Maser CH410 E Front Suspension, Forged Alloy Crown	CHAIN	KMC (1/2"×3/32"×100L)
HANDLEBAR	XDS Alloy (W:560mm*2.2T, 15°H=50mm)	GEAR SHIFTERS	Shimano Tourney RS-36 7 Speed Revoshifters
GRIP	PVC (L:110mm, R:72mm))	REAR DERAILLEUR	Shimano Tourney RD-TZ50
STEM	XDS Alloy (φ28.6mm E:60mm H:41mm 15°)	BOTTOM BRACKET	FP Steel BC1 (37"×24T 5PCS)
SEAT POST	Integrated with Saddle (25.4×250mm)	HEADSET	FP Steel (28.6×34×30mm)
SEAT CLAMP	Alloy Quick Release (φ28.6mm)	FRONT HUB	KT (14G×36H×3/8"×100×140mm)
SADDLE	Cionlli Comfort Saddle with Integrated Seat Post	REAR HUB	KT (14G×36H 3/8"×135×180mm, 7-SP)
PEDALS	PP Pedal 9/16"	BELL	Steel
FRONT BRAKES	Power Alloy V Brake	TYRE	Multi Surface Tread (20"×1.95")
REAR BRAKES	Power Alloy V Brake	RIM	XDS Alloy (20"×14G×36H CNC H=16.3 W=24.8)
		KICKSTAND	Steel (H=215mm L=235mm 100)



ALLOY 6061



COMFORT  
SADDLE



MULTI SURFACE  
TREAD (20"×1.95")



Girls

## XLITE 20 Alloy 7-Speed

### SPECIFICATIONS

COLOURS	Sea Blue & White, Silver & Pearl Purple	CHAINWHEEL & CRANKS	Steel Chainwheel, Alloy Cranks (1/2"×3/32"×40T×152mm)
FRAME	Alloy 6061	CHAIN	KMC (1/2"×3/32"×100L)
FORK	Alloy 6061 (20")	BOTTOM BRACKET	FP Steel BC1 (37"×24T 5PCS)
HANDLEBAR	Promax Alloy (W:500mm, H:50mm 9°)	HEADSET	FP Steel (28.6×34×30mm)
GRIP	PVC (L:110mm, R:72mm)	FRONT HUB	KT (14G×36H×3/8"×100×140mm)
STEM	Alloy (φ22.2×110mm E:32mm)	REAR HUB	KT (14G×36H 3/8"×135×180mm, 7-SP)
SEAT POST	Integrated with Saddle (25.4×250mm)	BELL	Steel
SEAT CLAMP	Alloy Quick Release (φ28.6mm)	TYRE	Multi Surface Tread (20"×1.95")
SADDLE	Cionlli Comfort Saddle with Integrated Seat Post	RIM	Alloy (20"×14G×36H CNC H=16.3 W=24.8)
PEDALS	PP Pedal 9/16"	KICKSTAND	Steel (H=215mm L=235mm 100)
FRONT BRAKES	Power Alloy V Brake		
REAR BRAKES	Power Alloy V Brake		
SPOKES	Stainless Steel 14G		

\*Image is for illustration purposes only. Colours may vary.





ALLOY 6061



3-SPEED  
REVOSHIFTERS



SMALL BLOCK  
TREAD (24"×1.95")



Boys

Girls

## XLITE 24 Alloy 3-Speed

### SPECIFICATIONS

<b>COLOURS</b>	Boys: Black & Orange Girls: White & Blue	<b>CHAIN</b>	KMC (1/2"×1/8"×100L)
<b>FRAME</b>	Alloy 6061	<b>GEAR SHIFTERS</b>	Shimano Nexus SL-3S41E 3 Speed Revo Shifter
<b>FORK</b>	Alloy 6061 (24")	<b>BOTTOM BRACKET</b>	FP BC1 (37"×24T 5PCS)
<b>HANDLEBAR</b>	XDS Alloy (W:560mm*2.2T, 15°H=50mm)	<b>HEADSET</b>	FP (φ22.2×φ30×φ27mm H=35 8PCS)
<b>GRIP</b>	PVC (L:110mm, R:72mm)	<b>FRONT HUB</b>	KT Quick Release (14G×36H M9×100×108mm)
<b>STEM</b>	XDS Steel (22.2×150mm×1.6T E=60mm 25°)	<b>REAR HUB</b>	Shimano Nexus SG-3R40 INTER-3 Rear Hub
<b>SEAT POST</b>	XDS Alloy (27.2×2.2T×300mm)	<b>BELL</b>	Steel
<b>SEAT CLAMP</b>	Alloy Quick Release (φ31.8mm)	<b>TYRE</b>	Small Block Tread (24"×1.95")
<b>SADDLE</b>	Cionlli Comfort Saddle	<b>RIM</b>	Alloy (24"×20×14G×36H)
<b>PEDALS</b>	PP Pedal 9/16"	<b>KICKSTAND</b>	Steel (H=245mm L=265mm 100°)
<b>FRONT BRAKES</b>	Power Alloy V Brake		
<b>REAR BRAKES</b>	Power Alloy V Brake		
<b>SPOKES</b>	Stainless Steel 14G		
<b>CHAINWHEEL &amp; CRANKS</b>	Steel Chainwheel, Alloy Cranks (1/2"×3/32"×40T×152mm)		





ALLOY 6061

7-SPEED  
REVOSHIFTERSSMALL BLOCK  
TREAD (24"×1.95")

Boys

Girls

## XLITE 24 Alloy 7-Speed

### SPECIFICATIONS

<b>COLOURS</b>	Boys: Orange Lava Girls: Blush Pink	<b>CHAINWHEEL &amp; CRANKS</b>	Steel Chainwheel, Alloy Cranks (1/2"×3/32"×40T×152mm)
<b>FRAME</b>	Alloy 6061 24"×315mm HT:φ41×φ34×100mm RC:442mm	<b>CHAIN</b>	KMC (1/2"×3/32"×110L)
<b>FORK</b>	RIDGID FORK (24", φ28.6×φ25.4×A-Head	<b>GEAR SHIFTERS</b>	Shimano Tourney RS-36 7 Speed Revoshifters
<b>HANDLEBAR</b>	Alloy (W:560mm*2.2T 15°H=50mm)	<b>REAR DERAILLEUR</b>	Shimano Tourney RD-TZ50
<b>GRIP</b>	PVC (L:110mm, R:72mm)	<b>BOTTOM BRACKET</b>	FP BC1 (37"×24T 5PCS)
<b>STEM</b>	ALLOY /STEEL φ28.6mm E:60mm H:41mm 15° Ahead	<b>HEADSET</b>	FP (28.6×34×30mm)
<b>SEAT POST</b>	Alloy (27.2×2.2T×300mm)	<b>FRONT HUB</b>	KT Quick Release (14G×36H M9×100×108mm)
<b>SEAT CLAMP</b>	Alloy Quick Release (φ31.8mm)	<b>REAR HUB</b>	KT (14G×36H 3/8"×135×180mm 7-SP)
<b>SADDLE</b>	Cionlli Comfort Saddle	<b>BELL</b>	Steel
<b>PEDALS</b>	PP Pedal 9/16"	<b>TYRE</b>	Small Block Tread (24"×1.95")
<b>FRONT BRAKES</b>	Power Alloy V Brake	<b>RIM</b>	XDS Alloy 24"406 ×14G×36H A/V CNC H=16.3 W=24.8
<b>REAR BRAKES</b>	Power Alloy V Brake	<b>KICKSTAND</b>	Steel (H=245mm L=265mm 100°)
<b>SPOKES</b>	Stainless Steel 14G	<b>FREEWHEEL</b>	FREEWHEEL SPROCKET, MF-TZ500,7- SPEED, 14-16-18-20-22-24-28T



ALLOY 6061



7-SPEED  
REVOSHIFTERS



SMALL BLOCK  
TREAD (24"×1.95")



Boys

## XLITE 24 Alloy 7-Speed

### SPECIFICATIONS

<b>COLOURS</b>	Blue & Black, Stainless & Black	<b>SPOKES</b>	Stainless Steel 14G
<b>FRAME</b>	Alloy 6061	<b>CHAINWHEEL &amp; CRANKS</b>	Steel Chainwheel, Alloy Cranks (1/2"×3/32"×40T×152mm)
<b>FORK</b>	Zoom Masera CH410 E Front Suspension. Forged Alloy Crown (24", φ28.6×φ25.4×φ30×179mm)	<b>CHAIN</b>	KMC (1/2"×3/32"×110L)
<b>HANDLEBAR</b>	Alloy (W:560mm*2.2T 15°H=50mm)	<b>GEAR SHIFTERS</b>	Shimano Tourney RS-36 7 Speed Revoshifters
<b>GRIP</b>	PVC (L:110mm, R:72mm)	<b>REAR DERAILLEUR</b>	Shimano Tourney RD-TZ50
<b>STEM</b>	XDS Alloy (φ28.6mm E:60mm H:41mm 15°)	<b>BOTTOM BRACKET</b>	FP Steel BC1 (37"×24T 5PCS)
<b>SEAT POST</b>	Alloy (27.2×2.2T×300mm)	<b>HEADSET</b>	FP (28.6×34×30mm)
<b>SEAT CLAMP</b>	Alloy Quick Release (φ31.8mm)	<b>FRONT HUB</b>	KT Quick Release (14G×36H M9×100×108mm)
<b>SADDLE</b>	Cionlli Comfort Saddle	<b>REAR HUB</b>	KT (14G×36H 3/8"×135×180mm, 7-SP)
<b>PEDALS</b>	PP Pedal 9/16"	<b>BELL</b>	Steel
<b>FRONT BRAKES</b>	Power Alloy V Brake	<b>TYRE</b>	Small Block Tread (24"×1.95")
<b>REAR BRAKES</b>	Power Alloy V Brake	<b>RIM</b>	Alloy (24"×20×14G×36H)
		<b>KICKSTAND</b>	Steel (H=245mm L=265mm 100°)

\*Image is for illustration purposes only.  
Colours may vary.



\*Image is for illustration purposes only.  
Colours may vary.





ALLOY 6061



7-SPEED RAPID  
FIRE PLUS SHIFTERS



SMALL BLOCK  
TREAD (26"×1.95")



Mens

Ladies

## XLITE 26 Alloy 7-Speed

### SPECIFICATIONS

<b>COLOURS</b>	Mens: Black & Lime Ladies: Sea Blue	<b>CHAINWHEEL &amp; CRANKS</b>	Steel Chainwheel, Alloy Cranks (1/2"×3/32"×40T×170mm)
<b>FRAME</b>	Alloy 6061	<b>CHAIN</b>	KMC (1/2"×3/32"×114L)
<b>FORK</b>	Alloy 6061 (26")	<b>GEAR SHIFTERS</b>	Shimano Altus SL-SM310 7 Speed Rapid Fire Plus Shifters
<b>HANDLEBAR</b>	Alloy (W:580mm*2.2T 15°H=50mm)	<b>REAR DERAILLEUR</b>	Shimano Tourney RD-TZ50
<b>GRIP</b>	PVC (L:110mm, R:72mm))	<b>BOTTOM BRACKET</b>	FP (BC1.37"×24T 68mm L:116mm)
<b>STEM</b>	Steel (φ25.4×150mm×1.6T E=60mm 25°)	<b>HEADSET</b>	FP (φ25.4×φ34×φ30mm H=36.6 10PCS)
<b>SEAT POST</b>	Alloy (27.2×2.2T×350mm)	<b>FRONT HUB</b>	KT Quick Release (14G×36H M9×100×108mm)
<b>SEAT CLAMP</b>	Alloy Quick Release	<b>REAR HUB</b>	KT (14G×32H 3/8"×135×180 7-SP)
<b>SADDLE</b>	Cionlli Comfort Sport Saddle	<b>BELL</b>	Steel
<b>PEDALS</b>	PP Pedal 9/16"	<b>TYRE</b>	Small Block Tread (26"×1.95")
<b>FRONT BRAKES</b>	Power Alloy V Brake	<b>RIM</b>	Alloy (26"×20×14G×36H)
<b>REAR BRAKES</b>	Power Alloy V Brake	<b>KICKSTAND</b>	Steel (H=260mm L=280mm 100°)
<b>SPOKES</b>	Stainless Steel 14G		

\*Image is for illustration purposes only.  
Colours may vary.





ALLOY 6061



7-SPEED  
REVOSHIFTERS



700C X 45C



Mens

Ladies

## XLITE 700C Alloy 7-Speed

### SPECIFICATIONS

<b>COLOURS</b>	Mens: Black & Orange Ladies: Silver	<b>CHAINWHEEL &amp; CRANKS</b>	Steel Chainwheel, Alloy Cranks (1/2"x3/32"x40Tx170mm)
<b>FRAME</b>	Alloy 6061	<b>CHAIN</b>	KMC (1/2"x3/32"x118L)
<b>FORK</b>	Alloy 6061 (700C)	<b>GEAR SHIFTERS</b>	Shimano Tourney RS-36 7 Speed Revoshifters
<b>HANDLEBAR</b>	Alloy (W:600mm*2.2T 15°H=50mm)	<b>REAR DERAILLEUR</b>	Shimano Tourney RD-TZ50
<b>GRIP</b>	PVC (L:110mm, R:72mm)	<b>BOTTOM BRACKET</b>	FP BC1 (37"x24T 5PCS)
<b>STEM</b>	Steel (22.2x150mmx1.6T E=60mm 25°)	<b>HEADSET</b>	FP (φ22.2xφ30xφ27mm H=35 8PCS)
<b>SEAT POST</b>	Alloy (27.2x2.2Tx300mm)	<b>FRONT HUB</b>	KT Quick Release (14Gx36H M9x100x108mm)
<b>SEAT CLAMP</b>	Alloy Quick Release	<b>REAR HUB</b>	KT (14Gx36H 3/8"x135x180mm 7-SP)
<b>SADDLE</b>	Cionlli Comfort Sport Saddle	<b>BELL</b>	Steel
<b>PEDALS</b>	PP Pedal 9/16"	<b>TYRE</b>	City Comfort with Centre Ridge (700Cx45C)
<b>FRONT BRAKES</b>	Power Alloy V Brake	<b>RIM</b>	Alloy (700Cx20x14Gx36H)
<b>REAR BRAKES</b>	Power Alloy V Brake	<b>KICKSTAND</b>	Steel (H=260mm L=280mm 100°)
<b>SPOKES</b>	Stainless Steel 14G		

[WWW.GFLGROUP.COM.AU](http://WWW.GFLGROUP.COM.AU)