

XDS

ELECTRIC BIKE CATALOG

BAFANG

Mid-Drive System



Computer Display

Complete Power Control.



Mid-Drive Motor

Powerful. Smooth. Silent.



Li-Ion Battery

High Capacity. Longer Lasting.

E-CRUZ 700C ALLOY LADIES/MEN 8SPD ELECTRIC BIKE



\$2,270 RRP

SPECIFICATIONS

Colours	Ladies: White Mens: Black	Rear Hub	KT Alloy 14G × 32H M10 × 135 × 145mm 8/9/10-SP W/QR Black
Frame Sizes	Ladies: 15", 17" Mens: 16", 18.5", 20"	Spokes	Stainless Steel
Frame	XDS 700C Alloy	Tyres	700C × 38C 30TPI A/V
Fork	XDS Alloy CR/MO 700C Ø28.6	Rims	XDS Alloy 700C × 622 × 19 × 14G × 32H A/V Black
Handlebar	XDS W: 660mm 6° Ø31.8mm Black	Mudguard	PVC 45mm, Black
Grips	XHH L: 130Mm Black	Rack	NH-Alloy x 700C Black
Stem	XDS VØ28.6mm E:80mm H:41mm 7° Black	Battery	XH SF-06 (M) SF- 03 (L) 36V/11.6Ah
Seatpost	XDS Alloy Ø27.2×350mm	Display	Bafang C966 Cable: 600mm
Saddle	YBT Black	Sensor	Bafang SSCPSO701 Cable :600mm
Pedals	FP 9/16", Alloy	Charger	XH BZ2AG2K24 SM-BCE60, BT-E6000, W/O SM-BCC1 (Power Cable),
Rear Derailleur	Shimano M360 7/8-SP	Motor	Bafang Max 01-250W Mid Drive 36V/250W, Max 25km/h, CL: 49mm, W/Controller
Derailleur Lever	Shimano M3608 Speed	Motor Cable	Bafang EB-BUS1: 1 Controller Cable: 800mm Display: 100mm.
Front & Rear	Shimano AM355 Hydraulic Disc-Brake	Power Cable	Bafang Power Cable: 500mm W/Communication Cable, Cable: 500mm
Brakes	Resin Pad, Black		
Freewheel	Shimano HG31 11-34T 8-SPD		
Chainwheel	Bafang 9/16", L/R: 170L, W/M8 x 1.0P x 15L SHCS x 2 Black		
Cranks	Bafang 1/8" x 3/32" x 38T, W/ Alloy Black		
Chain	KMC 1/2" × 3/32" × 114L		
Front Hub	KT Alloy 14G × 32H M9 × 100 × 108mm W/QR Black		

E-SPRESSO 700C ALLOY UNISEX 8SPD ELECTRIC BIKE



\$2,400 RRP

SPECIFICATIONS

Colours	Matt Black	Headset	Alloy Ø28.6 × Ø44-Ø55 × Ø39.8mm 15.4mm H:21.8mm
Frame Sizes	15", 17"	Front Hub	Alloy Black, 14G × 32H, M9 × 100 × 108mm, Quick Release
Frame	XDS 700C Alloy Unisex	Rear Hub	Alloy Black, 14G × 32H, M10 × 135 × 145mm
Fork	SR SUNTOUR SF16-NEX Alloy Suspension Forks, 700C Ø28.6 × Ø25.4 × Ø30 × 249mm Threadless W/Lock Out and Preload Adjuster, T:63mm	Spokes	Stainless Steel, 14G
Handlebar	XDS Alloy 620mm 6° Ø31.8	Tyres	KENDA 700C × 38C A/V
Grips	Rubber 130cm	Tubes	700C × 38C A/V
Stem	XDS Alloy Threadless Ø28.6mm E:80mm H:41mm 7° Ø31.8mm	Rims	XDS Alloy 700C × 32H A/V
Seatpost	XDS Alloy Micro Adjust Ø31.6 × 350mm	Mudguard	Alloy, Silver
Seat Clamp	Alloy Quick Release	Bell	Plastic W/Alloy Cap
Saddle	YBT Black	Rack	Alloy Rear Rack
Pedals	FP 9/16", Plastic	Kickstand	Steel 40mm L:300mm
Shifters	Shimano Acera ASLM360RAT Rapid Fire Plus 8-SPD	Battery	Phylion, CB5A0181 36V/11Ah, 2200mAh Cell, W/Intelligent Protection Board, W/Communication
Rear Derailleur	Shimano Acera ARDM60SGSL	Display	Bafang LCD Display, DC 36V, 0-5 Modes, UART Communication, W/Walk Boost, W/ Light Switch
F & R Brake	Tektro Hydraulic Disc Brake F/R:TR160-8 (Ø160mm)	Sensor	Bafang Sensor, 1 Pulse, 5V, 500mm
Brake Levers	Tektro Alloy Brake Levers	Charger	Phylion GS CE 100-240V 1.6A (MAX) 50/60HZ Output:42V 2A AU
Freewheel	Shimano Cassette 11-34T 8-SPD Index	Motor	Bafang MAX-01, 36V/250W, Limit 25km/h, CL:49mm, W/Controller, W/Battery Communication, AU
Chainwheel & Cranks	Bafang Alloy Black 3/32" × 38T, 170mm Black Alloy Cranks	Motor Cable	Bafang 1000mm
Chain	KMC 1/2" × 3/32" × 112L		
Chainguard	Integrated		
Bottom Bracket	Integrated		

E-VOLVE 700C ALLOY MENS COMFORT 10SPD ELECTRIC BIKE



\$2,635 RRP

SPECIFICATIONS

Colours	Grey	Rear Hub	Quick Release Joytech 14G × 36H M10 × 135 × 145
Frame Sizes	15", 18", 20"	Spokes	9-SPD, Quick Release Stainless Steel, 14G
Frame	XDS X6 Alloy 700C Comfort Style	Tyres	WTB 700C × 37C Folding Tyre
Fork	RST Volante MLC/TNL	Tubes	700C × 35C A/V
Handlebar	XDS Alloy 680mm H:25mm 5°	Rims	XDS 700C × 36H A/V
Grips	Rubber 130cm	Mudguard	PVC
Stem	XDS Alloy Threadless Ø28.6mm E:80mm H:41mm 7° Ø31.8mm	Bell	Plastic W/Alloy Cap
Seatpost	XDS Alloy Micro Adjust Ø31.6 × 350mm	Rack	Alloy Rear Rack
Seat Clamp	Alloy Quick Release	Kickstand	Alloy 700C, Adjustable
Saddle	YTB Black Comfort Sport	Extra Lock	Frame Lock
Pedals	Alloy 9/16" W/CR/MO Axles	Battery	Phylion 36V/11.6Ah, 2900mAh Cell, W/Intelligent Protection Board, W/Communication
Shifters	Shimano Altus ASLM370RA Rapid Fire Plus 9-SPD	Display	Bafang LCD Display, DC 36V, 0-5 Modes, UART Communication, W/Walk Boost, W/Light Switch
Rear Derailleur	Shimano Alivio ARDM4000SGS	Sensor	Bafang Sensor, 1 Pulse, 5V, 500mm
Brakes	Tektro Hydraulic Disc Brake, Disc F/R: TR160-24 (Ø160mm) Black Oil Tube F:800mm R:1450mm M6 × 18mm	Charger	Phylion GS CE 100-240V 1.6A (MAX) 50/60HZ Output:42V 2A AU
Brake Levers	Tektro Alloy Brake Levers	Motor	Bafang MAX-01, 36V/250W, Limit 25km/h, CL:49mm, W/Controller, W/Battery Communication, AU
Freewheel	Shimano Cassette 11-34T 9-SPS Index	Motor Cable	Bafang 600mm
Chainwheel & Cranks	Bafang Alloy Black 3/32" × 38T, 170mm Black Alloy Cranks		
Chain	KMC 1/2" × 11/128" 120L 9-SPD		
Chainguard	Integrated		
Bottom Bracket	Integrated		
Headset	Steel Ø28.6 × Ø44 × Ø30mm 10PCS H:22, Black		
Front Hub	Joytech 14G × 36H M9 × 100 × 108mm,		

E-RUPT 27.5" ALLOY MENS MTB 9SPD ELECTRIC BIKE



\$2,635 RRP

SPECIFICATIONS

Colour	Matt Black	Headset	FSA Ø28.6 × Ø41.8-Ø51.8 × Ø30mm
Frame Sizes	16", 18", 20"		H2166B H:16.3mm
Frame	XDS Alloy 27.5" MTB Style	Front Hub	KT Alloy 14G × 36H M9 × 100 × 108mm
Fork	SR Suntour SF-16XCT DS-HLO 27.5" Ø28.6 × Ø25.4 × 186mm, Threadless W/Lock Out and Preload Adjuster	Rear Hub	KT Alloy 14G × 36H M10 × 135 × 145mm 9-SPD
Handlebar	XDS Alloy W:680mm 5° H:25mm	Spokes	Stainless Steel, 14G
Grips	Rubber 130cm	Tyres	27.5" × 2.1" MTB A/V
Stem	XDS Alloy Threadless Ø28.6mm E:80mm H:43mm 7° Ø31.8mm	Tubes	27.5" × 2.1" A/V
Seatpost	XDS Alloy Micro Adjust Ø31.6 × 350mm	Rims	XDS Alloy 27.5" × 36H A/V W/Eyelet
Seat Clamp	Alloy Quick Release	Bell	Plastic W/Alloy Cap
Saddle	Velo Sports, Black Leather	Kickstand	Alloy 700C, Adjustable
Pedals	Steel 9/16" W/CR/MO Axles	Extra Lock	Frame Lock
Shifters	Shimano Alivio ASLM4000RA Rapid Fire Plus 9-SPD	Battery	Phylion 36V/11.6Ah, 2900mAh Cell, W/Intelligent Protection Board, W/Communication
Rear Derailleur	Shimano Alivio ARDM4000SGS	Display	Bafang LCD Display, DC 36V, 0-5 Modes, UART Communication, W/Walk Boost, W/Light Switc
F & R Brakes	Tektro Hydraulic Disc Brakes F/R:Ø160mm TR160-7 F:800mm R:1325mm F/R:M6 x 18mm	Sensor	Bafang Sensor, 1 Pulse, 5V, 500mm
Brake Levers	Tektro Alloy Brake Levers	Charger	Phylion GS CE 100-240V 1.6A (MAX) 50/60HZ Output:42V 2A AU
Freewheel	Shimano Cassette 11-34T 9-SPD Index	Motor	Bafang MAX-01, 36V/250W, Limit 25km/h, CL:49mm, W/Controller, W/Battery Communication, AU
Chainwheel & Cranks	Bafang Alloy Black 3/32" × 38T, 170mm Black Alloy Cranks	Motor Cable	Bafang 600mm
Chain	KMC 1/2" × 11/128" 120L 9-SPD		
Chainguard	Integrated		
Bottom Bracket	Integrated		

E-EXPRESS 700C ALLOY MENS 8SPD ELECTRIC BIKE

SHIMANO
STEPS



\$3,650 RRP

SPECIFICATIONS

Colours	Charcoal Grey	Rear Hub	Shimano 8-SPD Nexus Int, Centre Lock Rotor, 32H, 135 x 187mm
Frame Sizes	53cm, 56cm	Spokes	XDS SS 14G
Frame	XDS 700C Alloy	Tyres	Kenda 700C x 38c
Fork	XDS Alloy 700C Ø28.6 x Ø25.4 x Ø30 x L	Rims	XDS MD 20 700C 14G x 32H DW, CNC Sidewall & Eyeleted, AV
Handlebar	XDS Riser Bar W:680mm with Bar:31.8mm Bend:6 R:15	Rim Tape	700C x 16mm H/ Intensity
Stem	XDS Ahead Stem Ø28.6mm EXT:90mm	Mudguard	Black
Grips	VELO vlg-709AD3 L:130mm R:70mm Double Blk Krytion with Blk Gel End Plugs	Bell	Black, Alloy
Seatpost	XDS Ø31.6x 350mm for 15".	Kickstand	Pletscher ESGE Comp 28"
Seat Clamp	Kalloy Ø35mm Clamp W/QR	Battery	Battery Mount , BM-E6010, Steps, for BT-E6010 (Frame Type), W/O Key Cylinder Cycle Computer , SC-E6010, Steps
Saddle	SR, VOGA-1209URN, Black	Display	Speed Sensor & Magnet for Speed Sensor
Pedals	Wellgo M21 9/16, CR-MO Spindle, Alloy ,Silver Body, Black Cage	Sensor	Battery Charger EC-E6000-1, Steps, for BT-E6000/6010,Built in AC Power Cable for EU
Front Brake	Shimano M315 Disc Brake	Charger	DU-E6001 Steps, MID, 25km/h, (SM-DUE60)
Rear Brake	Shimano M315 Disc Brake	Motor	
Freewheel	Shimano 18T (2.3mm)	Motor Cable	Electric Wire For Int Routing, 1200mm Blk
Chainwheel	Shimano FOR FC-E6000, Steps, SM-CRE60, 44T KS CRE60B4DGG	Electric Plug	Shimano Electric Plug, Jagwire/Rubber
Cranks	Shimano Crank Arm, FC-E6000 170mm for 15", Above:175mm, AFCE6000EXL	Switch	Switch, SW-E6000, Steps, Switch for Assist (Initial Setting), Compatible W/SEIS (Set by E-Tube Project) with Cord A x2, Cord Band B x1, Black
Chain	KMC 116L 8-SPD	Key Cylinder	Shimano ABUS RH Battery Lock 2 Keys
Chainguard	Black		
Headset	VP Ø28.6x Ø44 x Ø30mm H:10mm 15mm		
Ahead Cap	VP 1-1/8" Alloy Cap, Stainless Bolt		
Ahead Spacer	Ø35.2 x Ø29 x 5mm (4PCS)		
Front Hub	Shimano FR HUB, HB-M3050, 32H OLD :100mm AXLE:108mm, Centre Lock Rotor, QR:133Mm		

XDS

WWW.XDSBICYCLES.COM.AU

WWW.XDSBICYCLES.COM.AU